



## UK Office

### Everest Biotech Ltd

Cherwell Innovation Centre  
77 Heyford Park  
Upper Heyford  
Oxfordshire  
OX25 5HD  
UK

Enquiries:

[info@everestbiotech.com](mailto:info@everestbiotech.com)

Sales:

[sales@everestbiotech.com](mailto:sales@everestbiotech.com)

Tech support:

[support@everestbiotech.com](mailto:support@everestbiotech.com)

Tel: +44 (0)1869 238326

Fax: +44 (0)1869 238327

## US Office

### Everest Biotech c/o Abcore

405 Maple Street, Suite A106  
Ramona,  
CA 92065  
USA

Inquiries:

[info@everestbiotech.com](mailto:info@everestbiotech.com)

Sales:

[usasales@everestbiotech.com](mailto:usasales@everestbiotech.com)

Tech support:

[support@everestbiotech.com](mailto:support@everestbiotech.com)

Tel: 888-320-4628 (toll-free)

Fax: 888-841-9041

[www.everestbiotech.com](http://www.everestbiotech.com)

**Research Use Only. Not for  
diagnostic or therapeutic use.**

## EB05950 - Goat Anti-KF1 / ZFP103 Antibody

Size: 100µg specific antibody in 200µl



### Target Protein

**Principal Names:** RNF103, KF1, hkf-1, ZFP103, RNF103,, ring finger protein 103, zinc finger protein 103 homolog (mouse), Zinc finger protein expressed in cerebellum, zinc finger protein homologous to Zfp103 in mouse, MGC102815, MGC41857, zinc finger protein 103 homolog

**Official Symbol:** RNF103

**Accession Number(s):** NP\_005658.1

**Human GeneID(s):** [7844](#)

### Immunogen

Peptide with sequence C-YAQHQPLSNDVPS, from the C Terminus of the protein sequence according to NP\_005658.1.

Please note the [peptide](#) is available for sale.

### Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

### Applications Tested

**Peptide ELISA:** antibody detection limit dilution 1:8000.

**Western blot:** Approx. 35kDa and 60kDa bands observed in Human Brain and Human Liver lysates at 1ug of primary. Please note that the band we observe is different from the predicted size of approx. 79kDa according to NP\_005658. Currently we cannot find an explanation for this in the literature. We would appreciate any feedback from people in the field - have any results been reported with other antibodies/lysates? Have any splice variants/modified forms been reported?

### Species Reactivity

**Tested:**

**Expected from sequence similarity:** Human, Dog