

## International Office

### Everest Biotech Ltd

Vector Laboratories, Inc.  
6737 Mowry Ave  
Newark, CA 94560  
United States

Customer Service:

[customerservice@vectorlabs.com](mailto:customerservice@vectorlabs.com)

Technical Service:

[technical@vectorlabs.com](mailto:technical@vectorlabs.com)

Tel: +1 (800) 227-6666

[www.everestbiotech.com](http://www.everestbiotech.com)

**Research Use Only. Not for  
diagnostic or therapeutic use.**

## EB07011 - Goat Anti-Klotho Antibody

Size: 100µg specific antibody in 200µl



### Target Protein

**Principal Names:** KL, klotho

**Official Symbol:** KL

**Accession Number(s):** NP\_004786.2; NP\_710150.1

**Human GeneID(s):** [9365](#)

**Important Comments:** This antibody is expected to recognise both reported isoforms (NP\_004786.2; NP\_710150.1).

### Immunogen

Peptide with sequence C-KRDDAKYMYLKK, from the internal region of the protein sequence according to NP\_004786.2; NP\_710150.1.

Please note the [peptide](#) is available for sale.

### Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

### Applications Tested

**Peptide ELISA:** antibody detection limit dilution 1:4000.


**Western blot:** Preliminary experiments in Human Brain, Duodenum, Placenta and Prostate lysates gave no specific signal but low background at antibody concentration up to 1µg/ml.

**IHC:** In paraffin embedded Human Breast shows cytoplasm staining in luminal epithelial cells of ducts, while Human Placenta shows membranous staining. Recommended concentration: 4-6µg/ml.


### Species Reactivity

**Tested:** Human

**Expected from sequence similarity:** Human, Mouse, Rat



EB07011 (4µg/ml) staining of paraffin embedded Human Breast. Steamed antigen retrieval with citrate buffer pH 6, HRP-staining.



EB07011 (4µg/ml) staining of paraffin embedded Human Placenta. Steamed antigen retrieval with citrate buffer pH 6, HRP-staining.