

### **International Office**

#### **Everest Biotech Ltd**

Vector Laboratories, Inc. 6737 Mowry Ave Newark, CA 94560 United States

**Customer Service:** 

customerservice@vectorlabs.com

Technical Service:

technical@vectorlabs.com

Tel: +1 (800) 227-6666

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

# EB11390 - Goat Anti-MAPK9 / JNK2 alpha (aa217-230) Antibody

Size: 100µg specific antibody in 200µl



# **Target Protein**

**Principal Names:** c-Jun kinase 2, c-Jun N-terminal kinase 2, JNK2, JNK2A, JNK2ALPHA, JNK2B, JNK2BETA, JNK-55, Jun kinase, MAP kinase 9, MAPK 9, mitogen-activated protein kinase 9, OTTHUMP00000161542, OTTHUMP00000161543, p54a, p54aSAPK, PRKM9, SAPK, stress-activated protein kinase JNK2, MAPK9

Official Symbol: MAPK9

Accession Number(s): NP\_620707.1; NP\_002743.3; NP\_001128516.1

Human GeneID(s): 5601

Non-Human GenelD(s): 26420 (mouse), 50658 (rat)

 $\textbf{Important Comments:} \ This \ antibody \ is \ expected \ to \ recognize \ isoforms \ alpha1, \ alpha2.$ 

and gamma (NP\_620707.1; NP\_002743.3; NP\_001128516.1).

## **Immunogen**

Peptide with sequence ELVKGCVIFQGTDH, from the internal region of the protein sequence according to NP\_620707.1; NP\_002743.3; NP\_001128516.1.

Please note the peptide is available for sale.

# **Purification and Storage**

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

### **Applications Tested**


Peptide ELISA: antibody detection limit dilution 1:16000.

**Western blot:** Approx 48kDa band observed in lysates of cell line HeLa (calculated MW of 48.1kDa according to NP\_002743.3). Recommended concentration: 0.03-0.1µg/ml.

### **Species Reactivity**

Tested: Human

Expected from sequence similarity: Human, Mouse, Rat, Dog



EB11390 ( $0.03\mu g/ml$ ) staining of HeLa lysate ( $35\mu g$  protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.