

#### **International Office**

#### **Everest Biotech Ltd**

Vector Laboratories, Inc. 6737 Mowry Ave Newark, CA 94560 United States

**Customer Service:** 

customerservice@vectorlabs.com

Technical Service:

technical@vectorlabs.com

Tel: +1 (800) 227-6666

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

# EB06689 - Goat Anti-MEPI / SERPINI2 Antibody

Size: 100µg specific antibody in 200µl



#### **Target Protein**

**Principal Names:** SERPINI2, MEPI, PI14, PANCPIN, TSA2004, SERPIN12, serine (or cysteine) proteinase inhibitor, clade I (neuroserpin), member 2, serpin peptidase inhibitor, clade I (pancpin), member 2, myoepithelium-derived serine protease inhibitor, protease inhibitor 14, serine (or cysteine) proteinase inhibitor, clade I (pancpin), member 2

Official Symbol: SERPINI2

Accession Number(s): NP\_006208.1; NP\_001012303.1

Human GeneID(s): 5276

Non-Human GenelD(s): 67931 (mouse), 171149 (rat)

Important Comments: This antibody is expected to recognise both reported isoforms

(NP\_006208.1; NP\_001012303.1).

## **Immunogen**

Peptide with sequence C-KGDWKQKFRKEDTQ, from the internal region of the protein sequence according to NP\_006208.1; NP\_001012303.1.

Please note the peptide is available for sale.

## **Purification and Storage**

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

#### **Applications Tested**

Peptide ELISA: antibody detection limit dilution 1:64000.

**Western blot:** Approx 40kDa band observed in Human Pancreas lysates (calculated MW of 46.1kDa according to NP\_006208.1 and 47.4kDa according to NP\_001012303.1). Recommended concentration: 0.3-1µg/ml. Primary incubation was 1 hour. This product has been successfully used in WB on Human in PMID: 21499210.

IHC: In paraffin embedded Human Pancreas, shows cytoplasmic staining of acinar cels and of rare cells in the islets of Langerhans. Recommended concentration, 3µg/ml. This product has been successfully used in IHC on Human in PMID: 21499210.

### **Species Reactivity**

Tested: Human

Expected from sequence similarity: Human, Mouse, Rat, Dog

## **Specific Reference**


This antibody has been successfully used in WB and IHC on Human:

Wehr AY, Furth EE, Sangar V, Blair IA, Yu KH.


Analysis of the human pancreatic stellate cell secreted proteome.

Pancreas. 2011 May;40(4):557-66.

PMID: 21499210



EB06689 (0.3 $\mu$ g/ml) staining of Human Pancreas lysate (35 $\mu$ g protein in RIPA buffer). Detected by chemiluminescence.



EB06689 (3µg/ml) staining of paraffin embedded Human Pancreas. Microwaved antigen retrieval with citrate buffer pH 6, HRP-staining