

## UK Office

### Everest Biotech Ltd

Cherwell Innovation Centre  
77 Heyford Park  
Upper Heyford  
Oxfordshire  
OX25 5HD  
UK

Enquiries:

[info@everestbiotech.com](mailto:info@everestbiotech.com)

Sales:

[sales@everestbiotech.com](mailto:sales@everestbiotech.com)

Tech support:

[support@everestbiotech.com](mailto:support@everestbiotech.com)

Tel: +44 (0)1869 238326

[www.everestbiotech.com](http://www.everestbiotech.com)

**Research Use Only. Not for  
diagnostic or therapeutic use.**

## EB11536 - Goat Anti-MEX3C (aa541-554) Antibody

Size: 100µg specific antibody in 200µl



### Target Protein

**Principal Names:** FLJ38871, mex-3 homolog C (C. elegans), MEX3C, MEX-3C, OTTHUMP00000163545, ring finger and KH domain containing 2, RING finger and KH domain-containing protein 2, RING finger protein 194, RKHD2, RNA-binding protein MEX3C, RNF194

**Official Symbol:** MEX3C

**Accession Number(s):** NP\_057710.3

**Human GeneID(s):** [51320](#)

**Non-Human GeneID(s):** 240396 (mouse), 307271 (rat)

### Immunogen

Peptide with sequence C-TPRLSPTFPESIEH, from the internal region of the protein sequence according to NP\_057710.3.

Please note the [peptide](#) is available for sale.

### Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

### Applications Tested

**Peptide ELISA:** antibody detection limit dilution 1:32000.

**Western blot:** Approx 60+36kDa bands observed in Mouse Testis lysates, and these bands reduced after knock-down by gene trap (calculated MW of 69.4kDa according to NP\_057710.3). Recommended concentration: 0.2-0.5µg/ml. Primary incubation was 1 hour.

**IHC:** Paraffin embedded Human Kidney. Recommended concentration: 5µg/ml.

### Species Reactivity

**Tested:** Human, Mouse

**Expected from sequence similarity:** Human, Mouse, Rat, Dog, Pig, Cow

### Specific Reference


**This antibody has been successfully used in Western blot on Human and Mouse:**

Li X, Li Y, Liu C, Jin M, Lu B.


Oocyte-Specific Expression of Mouse MEX3C652AA in the Ovary and Its Potential Role in Regulating Maternal Fos mRNA.

Biol Reprod. 2016 Apr 6. pii: biolreprod.115.136630

PMID: 27053362



EB11536 (0.2µg/ml) staining of Mouse Testis (+/+ is wt, trp/trp is knock-down) lysate (35µg protein in RIPA buffer). Data obtained by Dr. B. Lu, Wake Forest Baptist Medical Center, Winston-Salem, NC, USA. Detected by chemiluminescence.



EB11536 (5µg/ml) staining of paraffin embedded Human Kidney. Steamed antigen retrieval with citrate buffer pH 6, AP-staining.