



EB2ND-52-3001 - Goat anti-Mouse IgG antibody

Size: 500µg



UK Office

Everest Biotech Ltd

Cherwell Innovation Centre
77 Heyford Park
Upper Heyford
Oxfordshire
OX25 5HD
UK

Enquiries:

info@everestbiotech.com

Sales:

sales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: +44 (0)1869 238326

Fax: +44 (0)1869 238327

US Office

Everest Biotech c/o Abcore

405 Maple Street, Suite A106
Ramona,
CA 92065
USA

Inquiries:

info@everestbiotech.com

Sales:

usasales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: 888-320-4628 (toll-free)

Fax: 888-841-9041

www.everestbiotech.com

**Research Use Only. Not for
diagnostic or therapeutic use.**

Immunogen

Purified whole mouse IgG (unconjugated).

Purification

Ammonium sulphate precipitation of serum followed by antigen affinity purification.

Buffer

Phosphate buffer saline, PH 7.2, with 0.02% sodium azide as preservative 10 mM Tris, PH 8.2, with 150 mM NaCl, 10 mg/ml BSA and 0.1% sodium azide. Quantity: 0.5mg in 0.5mg/ml.

Storage and Handling

Store at 4°C for short durations. Store at -20°C for longer periods (> 1 month). Minimize freeze thaw cycles.

Applications

Suitable for immunoblot (western or dotblot), ELISA, and other peroxidase-based immunoassays. Recommended dilutions:

ELISA: 1:16000 WB: 1:3000 to 1:10000. Please optimize dilutions for your particular assay conditions. Starting test dilution: 0.5µg/ml for ELISA and WB.