

### **International Office**

### **Everest Biotech Ltd**

Vector Laboratories, Inc. 6737 Mowry Ave Newark, CA 94560 United States

**Customer Service:** 

customerservice@vectorlabs.com

Technical Service:

technical@vectorlabs.com

Tel: +1 (800) 227-6666

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

# EB05053 - Goat Anti-MSC / ABF1 Antibody

Size: 100µg specific antibody in 200µl



## **Target Protein**

**Principal Names:** MSC, musculin (activated B-cell factor-1), ABF1, MYOR, ABF-1, musculin, activated B-cell factor-1, activated B-cell factor 1, homolog of mouse musculin,

Official Symbol: MSC

Accession Number(s): AAC15071.1

Human GeneID(s): 9242

#### **Immunogen**

bHLHa22

Peptide with sequence C-PLKSDWNSLDGIIR, from the C Terminus of the protein sequence according to AAC15071.1.

Please note the peptide is available for sale.

### **Purification and Storage**

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

# **Applications Tested**

Peptide ELISA: antibody detection limit dilution 1:32000.

**Western blot:** Approx 25kDa band observed in Human Bone Marrow lysates (calculated MW of 23.6kDa according to AAC15071.1). Recommended concentration: 1-3µg/ml.

### **Species Reactivity**

Tested:

Expected from sequence similarity: Human

250kDa 150kDa 100kDa 75kDa 50kDa 37kDa 25kDa 20kDa

EB05053 ( $1\mu g/ml$ ) staining of Human Bone Marrow lysate ( $35\mu g$  protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.