

#### **UK Office**

#### **Everest Biotech Ltd**

Cherwell Innovation Centre

77 Heyford Park Upper Heyford Oxfordshire OX25 5HD

UK

Enquiries:

info@everestbiotech.com

Sales:

sales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: +44 (0)1869 238326

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

# EB06383 - Goat Anti-Munc13-4 / UNC13D (C terminus) Antibody

Size: 100µg specific antibody in 200µl



# **Target Protein**

Principal Names: UNC13D, Munc13-4, unc-13 homolog D (C. elegans), FHL3, HLH3,

HPLH3, unc-13 homolog D **Official Symbol:** UNC13D

Accession Number(s): NP\_954712.1

Human GeneID(s): 201294

## **Immunogen**

Peptide with sequence C-KQASQHALRPAP, from the C Terminus of the protein sequence according to NP\_954712.1.

Please note the peptide is available for sale.

# **Purification and Storage**

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

### **Applications Tested**

Peptide ELISA: antibody detection limit dilution 1:16000.

Western blot: This antibody has been successfully used in WB on Human: Cetica V et al,

J Allergy Clin Immunol. 2015 May;135(5):1310-8. PMID: 25312756.

IHC: Paraffin embedded Human Spleen. Recommended concentration: 5µg/ml.

# **Species Reactivity**

Tested: Human

Expected from sequence similarity: Human

#### Specific Reference


### This antibody has been successfully used in WB on Human:

Cetica V, Hackmann Y, Grieve S, Sieni E, Ciambotti B, Coniglio ML, Pende D, Gilmour K, Romagnoli P, Griffiths GM, Aricò M.

Patients with Griscelli syndrome and normal pigmentation identify RAB27A mutations that selectively disrupt MUNC13-4 binding.

J Allergy Clin Immunol. 2015 May;135(5):1310-8.

PMID: 25312756



EB06383 (5μg/ml) staining of paraffin embedded Human Spleen. Steamed antigen retrieval with citrate buffer pH 6, AP-staining.