

#### **UK Office**

#### **Everest Biotech Ltd**

Cherwell Innovation Centre 77 Heyford Park Upper Heyford Oxfordshire OX25 5HD

UK

Enquiries:

info@everestbiotech.com

Sales:

sales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: +44 (0)1869 238326 Fax: +44 (0)1869 238327

#### **US Office**

#### **Everest Biotech c/o Abcore**

405 Maple Street, Suite A106 Ramona,

CA 92065 USA

00, 1

Inquiries:

info@everestbiotech.com

Sales:

 $\underline{usasales@everest biotech.com}$ 

Tech support:

support@everestbiotech.com

Tel: 888-320-4628 (toll-free)

Fax: 888-841-9041

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

# EB08221 - Goat Anti-Neuroligin 3 Antibody

Size: 100µg specific antibody in 200µl



## **Target Protein**

Principal Names: neuroligin 3, KIAA1480, ASPGX1, AUTSX1, HNL3, NLGN3

Official Symbol: NLGN3

Accession Number(s): NP\_061850.2

Human GenelD(s): 54413

## **Immunogen**

Peptide with sequence C-RKDKRRQEPLRQPS, from the internal region of the protein sequence according to NP\_061850.2.

Please note the peptide is available for sale.

## **Purification and Storage**

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

## **Applications Tested**

**Peptide ELISA:** antibody detection limit dilution 1:16000.

**Western blot:** Approx. 85-90kDa band observed in Human Brain (Amygdala) lysates (calculated MW of 91.6kDa according to NP\_061850.2). In transfected HEK293 transiently expressing Neuregulin3 a band of approx. 98kDa is observed. This band is not observed in the non-transfected HEK293. Recommended concentration: 0.05-0.2µg/ml.


### **Species Reactivity**

Tested: Human

Expected from sequence similarity: Human, Mouse, Rat, Dog



EB08221 (0.1μg/ml) staining of Human Brain (Amygdala) lysate (35μg protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.



HEK293 overexpressing Neuregulin3 (RC207955) and probed with EB08221 (mock transfection in first lane), tested by Origene.