

#### **International Office**

Everest Biotech Ltd Vector Laboratories, Inc. 6737 Mowry Ave Newark, CA 94560 United States

Customer Service: <u>customerservice@vectorlabs.com</u> Technical Service: <u>technical@vectorlabs.com</u>

Tel: +1 (800) 227-6666

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

# EB08091 - Goat Anti-NODAL Antibody

Size: 100µg specific antibody in 200µl

# **C**lite

**Target Protein** 

Principal Names: NODAL, nodal growth differentiation factor, HTX5, , Official Symbol: NODAL Accession Number(s): NP\_060525.2 Human GeneID(s): 4838

#### Immunogen

Peptide with sequence DRSQLCRKVKFQ, from the internal region of the protein sequence according to NP\_060525.2.

Please note the peptide is available for sale.

## **Purification and Storage**

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

## **Applications Tested**


Peptide ELISA: antibody detection limit dilution 1:64000.

**Western blot:** Approx 40kDa band observed in Rat Brain lysates (calculated MW of 40.5kDa according to NP\_001099864.1 ). Recommended concentration: 0.01-0.1µg/ml. Primary incubation was 1 hour. Preliminary testing was unsuccessful on Mouse Brain for this particular batch.


**IHC:** Paraffin embedded Human Placenta and Brain (Cortex). Recommended concentration: 3.75µg/ml.

#### **Species Reactivity**


Tested: Human, Rat Expected from sequence similarity: Human, Mouse, Rat



EB08091 (0.03µg/ml) staining of Rat Brain lysate (35µg protein in RIPA buffer). Detected by chemiluminescence.



EB08091 (3.75µg/ml) staining of paraffin embedded Human Placenta. Steamed antigen retrieval with citrate buffer pH 6, AP-staining.



EB08091 (3.75µg/ml) staining of paraffin embedded Human Cortex. Steamed antigen retrieval with citrate buffer pH 6, AP-staining.