

International Office

Everest Biotech Ltd

Vector Laboratories, Inc. 6737 Mowry Ave Newark, CA 94560 United States

Customer Service:

customerservice@vectorlabs.com

Technical Service:

technical@vectorlabs.com

Tel: +1 (800) 227-6666

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

EB08365 - Goat Anti-NRAS Antibody

Size: 100µg specific antibody in 200µl



Target Protein

Principal Names: NRAS, neuroblastoma RAS viral (v-ras) oncogene homolog, N-ras, NRAS1, N-ras protein part 4, v-ras neuroblastoma RAS viral oncogene homolog

Official Symbol: NRAS

Accession Number(s): NP_002515.1

Human GenelD(s): 4893

Non-Human GenelD(s): 18176 (mouse), 24605 (rat)

Immunogen

Peptide with sequence C-RMKKLNSSDDGTQ, from the internal region of the protein sequence according to NP_002515.1.

Please note the <u>peptide</u> is available for sale.

Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

Applications Tested

Peptide ELISA: antibody detection limit dilution 1:64000.

Western blot: Approx. 21-22kDa band observed in lysates of cell line MCF7 (calculated MW of 21.2kDa according to NP_002515.1). Recommended concentration: 0.3-1μg/ml. Primary incubation1 hour at room temperature.

Immunofluorescence: A customer obtained weak cytoplasmic staining in MCF7 cells at 10μg/ml.

Species Reactivity

Tested: Human

Expected from sequence similarity: Human, Mouse, Rat

250kDa 150kDa 100kDa 75kDa 50kDa 37kDa 25kDa 20kDa

EB08365 (0.5μg/ml) staining of MCF7 cell lysate (35μg protein in RIPA buffer). Detected by chemiluminescence.