

UK Office

Everest Biotech Ltd

Cherwell Innovation Centre

77 Heyford Park Upper Heyford Oxfordshire OX25 5HD UK

Enquiries:

info@everestbiotech.com

Sales:

sales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: +44 (0)1869 238326 Fax: +44 (0)1869 238327

US Office

Everest Biotech c/o Abcore

405 Maple Street, Suite A106

Ramona, CA 92065 USA

Inquiries:

info@everestbiotech.com

Sales:

 $\underline{usasales@everest biotech.com}$

Tech support:

support@everestbiotech.com

Tel: 888-320-4628 (toll-free)

Fax: 888-841-9041

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

EB06605 - Goat Anti-OIP106 / TRAK1 Antibody

Size: 100µg specific antibody in 200µl



Target Protein

Principal Names: OIP106, OGT(O-Glc-NAc transferase)-interacting protein 106 KDa, OGT(O Glc NAc transferase) interacting protein 106 Kda, trafficking protein, kinesin

binding 1

Official Symbol: TRAK1

Accession Number(s): NP_001036111.1

Human GeneID(s): 22906

Important Comments: This antibody is only expected to recognise isoform 1

(NP_001036111.1) only.

Immunogen

Peptide with sequence CGAKLSKQTSLR, from the C Terminus of the protein sequence according to NP_001036111.1.

Please note the peptide is available for sale.

Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin

Aliquot and store at -20°C. Minimize freezing and thawing.

Applications Tested

Peptide ELISA: antibody detection limit dilution 1:64000.

Western blot: Approx 90kDa band observed in Human Heart and Human Lung lysates (calculated MW of 77.3kDa according to NP_055780). Recommended concentration: 0.3-1.5µg/ml.

Species Reactivity

Tested: Human

Expected from sequence similarity: Human, Mouse, Rat, Dog



EB06605 staining (0.3μg/ml) of Human Heart lysate (RIPA buffer, 30μg total protein per lane). Primary incubated for 1 hour. Detected by chemiluminescence.