

#### **International Office**

#### **Everest Biotech Ltd**

Vector Laboratories, Inc. 6737 Mowry Ave Newark, CA 94560 United States

**Customer Service:** 

customerservice@vectorlabs.com

Technical Service:

technical@vectorlabs.com

Tel: +1 (800) 227-6666

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

# EB13096 - Goat Anti-Oxytocin Receptor Antibody

Size: 100µg specific antibody in 200µl



## **Target Protein**

Principal Names:
Official Symbol: OXTR

Accession Number(s): NP\_000907.2

Human GeneID(s): 5021

### **Immunogen**

Peptide with sequence ANAPKEASAFIIVC, from the internal region of the protein sequence according to NP\_000907.2.

Please note the peptide is available for sale.

## **Purification and Storage**

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

## **Applications Tested**

Peptide ELISA: antibody detection limit dilution 1:16000.


**Western blot:** Approx 50kDa band observed in Human Ovary lysate and in preliminary testing of Human Uterus lysate (calculated MW of 42.8kDa according to Human NP\_000907.2). This molecular weight is observed by other sources and was successfully blocked by incubation with the immunising peptide. Recommended concentration: 1-3ug/ml. Primary incubation 1 hour at room temperature.

**IHC:** Paraffin embedded Human Ovary. Recommended concentration: 4-6µg/ml. Some positive staining of stromal cells was also seen in paraffin embedded Human Prostate.


#### **Species Reactivity**

Tested: Human


Expected from sequence similarity: Human



EB13096 (3μg/ml) staining of Human Ovary (A) + peptide (B) lysate (35μg protein in RIPA buffer). Detected by chemiluminescence.



EB13096 ( $6\mu g/ml$ ) staining of paraffin embedded Human Ovary. Heat induced antigen retrieval with citrate buffer pH 6, HRP-staining.



 ${\tt EB13096\ Negative\ Control\ showing\ staining\ of\ paraffin\ embedded\ Human\ Ovary,\ with\ no\ primary\ antibody.}$