

International Office

Everest Biotech Ltd

Vector Laboratories, Inc. 6737 Mowry Ave Newark, CA 94560 United States

Customer Service:

customerservice@vectorlabs.com

Technical Service:

technical@vectorlabs.com

Tel: +1 (800) 227-6666

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

EB08374 - Goat Anti-PAM / PAL Antibody

Size: 100µg specific antibody in 200µl



Target Protein

Principal Names: PAM, PAL, peptidylglycine alpha-amidating monooxygenase, PHM, pancreatic peptidylglycine alpha-amidating monooxygenase, peptidyl alpha-amidating enzyme, peptidyl-alpha-hydroxyglycine alpha-amidating lyase, peptidylglycine 2-hydroxylase, peptidylglycine alpha-hydroxylating monooxygenase

Official Symbol: PAM

Accession Number(s): NP_000910.2; NP_620121.1; NP_620176.1; NP_620177.1

Human GeneID(s): 5066

Important Comments: This antibody is expected to recognise all reported isoforms

(NP_000910.2; NP_620121.1; NP_620176.1 and NP_620177.1).

Immunogen

Peptide with sequence C-DQEKEDDGSESEE, from the C Terminus of the protein sequence according to NP_000910.2; NP_620121.1; NP_620176.1; NP_620177.1.

Please note the peptide is available for sale.

Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

Applications Tested

Peptide ELISA: antibody detection limit dilution 1:4000.

Western blot: Approx 100kDa band observed in Human Kidney lysates (calculated MW of 101kDa according to preproprotein NP_620121.1). Recommended concentration: 0.3-1µg/ml.

Species Reactivity

Tested: Human

Expected from sequence similarity: Human



EB08374 ($1\mu g/ml$) staining of Human Kidney lysate ($35\mu g$ protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.