

#### **UK Office**

Everest Biotech Ltd Cherwell Innovation Centre

77 Heyford Park Upper Heyford Oxfordshire OX25 5HD UK

Enquiries: info@everestbiotech.com Sales: sales@everestbiotech.com Tech support: support@everestbiotech.com

Tel: +44 (0)1869 238326 Fax: +44 (0)1869 238327

## **US Office**

#### Everest Biotech c/o Abcore

405 Maple Street, Suite A106 Ramona, CA 92065 USA

Inquiries: info@everestbiotech.com Sales: usasales@everestbiotech.com Tech support: support@everestbiotech.com

Tel: 888-320-4628 (toll-free) Fax: 888-841-9041

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

# EB11524 - Goat Anti-PLK1 (aa287-298) Antibody

Size: 100µg specific antibody in 200µl



#### **Target Protein**

Principal Names: cell cycle regulated protein kinase, OTTHUMP00000122462, PLK, PLK1, PLK-1, polo (Drosophia)-like kinase, polo like kinase, polo-like kinase 1, serine/threonine-protein kinase 13, serine/threonine-protein kinase PLK1, STPK13 Official Symbol: PLK1 Accession Number(s): NP\_005021.2 Human GeneID(s): <u>5347</u>

#### Immunogen

Peptide with sequence C-QTDPTARPTINE, from the internal region of the protein sequence according to NP\_005021.2.

Please note the peptide is available for sale.

## **Purification and Storage**

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.


# **Applications Tested**

Peptide ELISA: antibody detection limit dilution 1:16000.

Western blot: Approx 60kDa band observed in nuclear lysates of cell line HeLa (calculated MW of 68.3kDa according to NP\_005021.2). Recommended concentration: 0.3-1µg/ml.

## **Species Reactivity**

Tested: Human Expected from sequence similarity: Human, Mouse, Rat, Dog, Pig, Cow



EB11524 (0.3µg/ml) staining of HeLa nuclear lysate (35µg protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.