

## UK Office

### Everest Biotech Ltd

Cherwell Innovation Centre  
77 Heyford Park  
Upper Heyford  
Oxfordshire  
OX25 5HD  
UK

Enquiries:

[info@everestbiotech.com](mailto:info@everestbiotech.com)

Sales:

[sales@everestbiotech.com](mailto:sales@everestbiotech.com)

Tech support:

[support@everestbiotech.com](mailto:support@everestbiotech.com)

Tel: +44 (0)1869 238326

[www.everestbiotech.com](http://www.everestbiotech.com)

**Research Use Only. Not for  
diagnostic or therapeutic use.**

## EB05230 - Goat Anti-PPP2CA / PPP2CB Antibody

Size: 100µg specific antibody in 200µl



### Target Protein

**Principal Names:** PPP2CA, protein phosphatase 2 (formerly 2A), catalytic subunit, alpha isoform, PP2Ac, PP2CA, RP-C, PP2A-alpha, protein phosphatase 2, catalytic subunit, alpha isoform, replication protein C, serine/threonine protein phosphatase 2A, catalytic subunit, alpha isoform, serine/threonine-protein phosphatase 2A catalytic subunit alpha isoform, PPP2CB, protein phosphatase 2 (formerly 2A), catalytic subunit, beta isoform, PP2CB, PP2A-beta, protein phosphatase 2, catalytic subunit, beta isoform, protein phosphatase type 2A catalytic subunit, serine/threonine protein phosphatase 2A, catalytic subunit, beta isoform

**Official Symbol:** PPP2CA / PPP2CB

**Accession Number(s):** NP\_002706.1; NP\_004147.1

**Human GeneID(s):** [5515](#) , [5516](#)

**Non-Human GeneID(s):** 19052 (mouse), 24672 (rat)

**Important Comments:** Two variants NP\_001009552.1 and NP\_004147.1 represent identical protein.

### Immunogen

Peptide with sequence C-EPHVTRRTPDYFL, from the C Terminus of the protein sequence according to NP\_002706.1; NP\_004147.1.

Please note the [peptide](#) is available for sale.

### Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

### Applications Tested

**Peptide ELISA:** antibody detection limit dilution 1:128000.


**Western blot:** Approx 36kDa band observed in Human Cerebellum and in Mouse, Rat and Pig Brain lysates (calculated MW of 35.6kDa according to Human NP\_002706.1). Recommended concentration: 1-3µg/ml. Primary incubation was 1 hour.

**IHC:** Paraffin embedded Human Kidney and Thyroid. Recommended concentration: 10µg/ml.


### Species Reactivity

**Tested:** Human, Mouse, Rat, Pig


**Expected from sequence similarity:** Human, Mouse, Rat, Dog, Pig, Cow




EB05230 (0.1 $\mu$ g/ml) staining of Human Cerebellum lysate (35 $\mu$ g protein in RIPA buffer). Detected by chemiluminescence.



EB05230 (0.03 $\mu$ g/ml) staining of Mouse (A), Rat (B) and Pig (C) Brain lysate (35 $\mu$ g protein in RIPA buffer). Detected by chemiluminescence.



EB05230 (10 $\mu$ g/ml) staining of paraffin embedded Human Kidney. Steamed antigen retrieval with citrate buffer pH 6, AP-staining.



EB05230 (10 $\mu$ g/ml) staining of paraffin embedded Human Thyroid. Steamed antigen retrieval with citrate buffer pH 6, AP-staining.