

### **International Office**

#### **Everest Biotech Ltd**

Vector Laboratories, Inc. 6737 Mowry Ave Newark, CA 94560 United States

**Customer Service:** 

customerservice@vectorlabs.com

Technical Service:

technical@vectorlabs.com

Tel: +1 (800) 227-6666

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

# EB07297-T - Goat Anti-Prion Protein (143-153) Antibody - Trial

Size: 20µg specific antibody in 40µl



# **Target Protein**

**Principal Names:** PRNP, prion protein (p27-30) (Creutzfeldt-Jakob disease, Gerstmann-Strausler-Scheinker syndrome, fatal familial insomnia), ASCR, CD230, CJD, GSS, MGC26679, PRIP, PrP, PrP27-30, PrP33-35C, PrPc, CD230 antigen, major prion protein, prion protein, prion protein (p27-30) (Creutzfeld-Jakob disease Gerstmann-Strausler-Scheinker syndrome, fatal familial insomnia), prion protein PrP, prion-related protein

Official Symbol: PRNP

Accession Number(s): NP\_000302.1

Human GenelD(s): 5621

Non-Human GenelD(s): 19122 (mouse), 24686 (rat)

Important Comments: Reported variants represent identical protein (NP\_000302.1;

NP\_898902.1; NP\_001073590.1; NP\_001073591.1; NP\_001073592.1).

# **Immunogen**

Peptide with sequence C-SDYEDRYYREN, from the internal region of the protein sequence according to NP\_000302.1.

Please note the peptide is available for sale.

# **Purification and Storage**

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

### **Applications Tested**

Peptide ELISA: antibody detection limit dilution 1:64000.

**Western blot:** Approx 25kDa band observed in Human Brain lysates (calculated MW of 27.7kDa according to NP\_000302.1 and NP\_898902.1). Recommended concentration: 0.3-1µg/ml.

### **Species Reactivity**

Tested: Human

Expected from sequence similarity: Human, Pig, Cow



EB07297 (0.3 $\mu$ g/ml) staining of Human Brain lysate (35 $\mu$ g protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.