



International Office

Everest Biotech Ltd

Vector Laboratories, Inc.
6737 Mowry Ave
Newark, CA 94560
United States

Customer Service:

customerservice@vectorlabs.com

Technical Service:

technical@vectorlabs.com

Tel: +1 (800) 227-6666

www.everestbiotech.com

**Research Use Only. Not for
diagnostic or therapeutic use.**

EB10269-B - Goat Anti-PRKAA2, Biotinylated Antibody

Size: 100µg specific antibody in 200µl



Target Protein

Principal Names: 5'-AMP-activated protein kinase, catalytic alpha-2 chain, AMP-activated protein kinase alpha 2 catalytic subunit, AMPK, AMPK2, AMPK-alpha-2 chain, PRKAA, protein kinase, AMP-activated, alpha 2 catalytic subunit, PRKAA2

Official Symbol: PRKAA2

Accession Number(s): NP_006243.2

Human GeneID(s): [5563](#)

Non-Human GeneID(s): 108079 (mouse), 78975 (rat)

Immunogen

Peptide with sequence CPLDALNTTKP., from the internal region of the protein sequence according to NP_006243.2.

Please note the [peptide](#) is available for sale.

Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

Applications Tested

Peptide ELISA: antibody detection limit dilution 1:16000.

Western blot: Approx 65kDa band observed in Human Liver lysates (calculated MW of 62.3kDa according to NP_006243.2). Recommended concentration: 0.3-1µg/ml.

Species Reactivity

Tested: Human

Expected from sequence similarity: Human, Mouse, Rat, Dog, Pig, Cow



Biotinylated EB10269 (1ug/ml) staining of Human Liver lysate (35µg protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence, using streptavidin-HRP and using NAP blocker as a substitute for skimmed milk.