

#### **International Office**

#### **Everest Biotech Ltd**

Vector Laboratories, Inc. 6737 Mowry Ave Newark, CA 94560 United States

**Customer Service:** 

customerservice@vectorlabs.com

Technical Service:

technical@vectorlabs.com

Tel: +1 (800) 227-6666

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

# EB10294 - Goat Anti-PSMB3 Antibody

Size: 100µg specific antibody in 200µl



## **Target Protein**

**Principal Names:** HC10-II, MGC4147, proteasome (prosome, macropain) subunit, beta type, 3, proteasome beta 3 subunit, proteasome chain 13, proteasome component C10-II,

proteasome theta chain, PSMB3

Official Symbol: PSMB3

Accession Number(s): NP\_002786.2

Human GeneID(s): 5691

Non-Human GenelD(s): 26446 (mouse), 29676 (rat)

### **Immunogen**

Peptide with sequence C-NLYELKEGRQ, from the internal region of the protein sequence according to NP\_002786.2.

Please note the peptide is available for sale.

## **Purification and Storage**

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

### **Applications Tested**

Peptide ELISA: antibody detection limit dilution 1:16000.

**Western blot:** Approx 24kDa band observed in lysates of cell line K562 (calculated MW of 22.9kDa according to NP\_002786.2). Recommended concentration: 1-3μg/ml. **IHC:** Paraffin embedded Human Lung. Recommended concentration: 10μg/ml.

### **Species Reactivity**


Tested: Human

Expected from sequence similarity: Human, Mouse, Rat, Dog, Cow, Pig

250kDa 150kDa 100kDa 75kDa 50kDa 37kDa 25kDa

EB10294 (1 $\mu$ g/ml) staining of K562 lysate (35 $\mu$ g protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.

15kDa



EB10294 (10μg/ml) staining of paraffin embedded Human Lung. Steamed antigen retrieval with citrate buffer pH 6, AP-staining.