

#### **International Office**

#### **Everest Biotech Ltd**

Vector Laboratories, Inc. 6737 Mowry Ave Newark, CA 94560 United States

**Customer Service:** 

customerservice@vectorlabs.com

Technical Service:

technical@vectorlabs.com

Tel: +1 (800) 227-6666

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

# EB06419 - Goat Anti-RAN Antibody

Size: 100µg specific antibody in 200µl



## **Target Protein**

**Principal Names:** RAN, TC4, ARA24, RAN, member RAS oncogene family, Gsp1, OK/SW-cl.81, RanGTPase, guanosine triphosphatase Ran, member RAS oncogene

family, ras-related nuclear protein

Official Symbol: RAN

Accession Number(s): NP\_006316.1

Human GeneID(s): 5901

Non-Human GenelD(s): 19384 (mouse), 84509 (rat)

# **Immunogen**

Peptide with sequence AAQGEPQVQFKLV-C, from the N Terminus of the protein sequence according to NP\_006316.1.

Please note the peptide is available for sale.

# **Purification and Storage**

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

### **Applications Tested**

Peptide ELISA: antibody detection limit dilution 1:32000.

**Western blot:** Approx 25kDa band observed in lysates of cell lines A431, HeLa, HepG2 and NIH3T3 (calculated MW of 24.4kDa according to NP\_006316.1). Recommended for use at 0.3-1µg/ml. Primary incubation was 1 hour.

IHC: Paraffin embedded Human Tonsil. Recommended concentration: 3µg/ml.


## **Species Reactivity**

Tested: Human, Mouse


Expected from sequence similarity: Human, Mouse, Rat, Dog, Cow

250kDa 150kDa 100kDa 75kDa 50kDa 37kDa 25kDa 20kDa

EB06419 (0.5 $\mu$ g/ml) staining of A431 (35 $\mu$ g protein in RIPA buffer). Detected by chemiluminescence.



EB06419 (3µg/ml) staining of paraffin embedded Human Tonsil. Heat induced antigen retrieval with citrate buffer pH 6, HRP-staining.



EB06419 Negative Control showing staining of paraffin embedded Human Tonsil, with no primary antibody.