

International Office

Everest Biotech Ltd

Vector Laboratories, Inc. 6737 Mowry Ave Newark, CA 94560 United States

Customer Service:

customerservice@vectorlabs.com

Technical Service:

technical@vectorlabs.com

Tel: +1 (800) 227-6666

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

EB06459 - Goat Anti-SAMSN1 Antibody

Size: 100µg specific antibody in 200µl



Target Protein

Principal Names: SAMSN1, HACS1, SAM domain, SH3 domain and nuclear localisation signals, 1, SH3-SAM adaptor protein, hematopoietic adaptor containing SH3 and SAM domains 1, NASH1, SASH2, SAM domain, SH3 domain and nuclear localization signals 1, SAM and SH3 domain containing 2, SAM domain, SH3 domain and nuclear localization signals, 1, nuclear localization signals, SAM and SH3 domain containing 1

Official Symbol: SAMSN1

Accession Number(s): NP_071419.2

Human GenelD(s): 64092

Important Comments: Please note that the immunogen sequence is present in NP_071419.2 (and in AAK07746) but is no longer present in the latest reference sequence (NP_071419.3 at 05/10/05). This latest version has not been subject to final review by NCBI. This antibody may be recognising one particular isoform.

Immunogen

Peptide with sequence IRLDTLSASLGRSC, from the N Terminus of the protein sequence according to NP_071419.2.

Please note the peptide is available for sale.

Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

Applications Tested

Peptide ELISA: antibody detection limit dilution 1:64000.

Western blot: Approx 48kDa band observed in Jurkat Tcell lysate (calculated MW of 41.7kDa according to NP_071419.2). The observed size is consistent with observations with competing products. Recommended concentration: 0.5-1.5µg/ml

Species Reactivity

Tested: Human

Expected from sequence similarity: Human



EB06459 (1 μ g/ml) staining of Jurkat lysate (35 μ g protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.