

### **International Office**

#### **Everest Biotech Ltd**

Vector Laboratories, Inc. 6737 Mowry Ave Newark, CA 94560 United States

**Customer Service:** 

customerservice@vectorlabs.com

Technical Service:

technical@vectorlabs.com

Tel: +1 (800) 227-6666

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

# EB05327 - Goat Anti-STUB1 / CHIP Antibody

Size: 100µg specific antibody in 200µl



### **Target Protein**

**Principal Names:** STUB1, CHIP, STIP1 homology and U-Box containing protein 1, HSPABP2, NY-CO-7, SDCCAG7, serologically defined colon cancer antigen 7, carboxy terminus of Hsp70p-interacting protein, heat shock protein A binding protein 2 (c-terminal),

LA16c-313D11.6, UBOX1 **Official Symbol:** STUB1

Accession Number(s): NP\_005852.2

Human GenelD(s): 10273

### **Immunogen**

Peptide with sequence C-DAFISENGWVEDY, from the C Terminus of the protein sequence according to NP\_005852.2.

Please note the peptide is available for sale.

## **Purification and Storage**

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

### **Applications Tested**

Peptide ELISA: antibody detection limit dilution 1:64000.

**Western blot:** Approx 35kDa band observed in Human Muscle lysates (calculated MW of 34.9kDa according to NP\_005852.2). Recommended concentration: 0.3-1µg/ml. Primary incubation was for 1 hour.

IHC: Paraffin embedded Human Kidney. Recommended concentration: 5-6µg/ml.


### **Species Reactivity**

Tested: Human


Expected from sequence similarity: Human, Mouse, Rat, Dog, Cow



EB05327 staining (0.3μg/ml) of Human Muscle lysate (RIPA buffer, 35μg total protein per lane). Detected by chemiluminescence.



EB05327 (5µg/ml) staining of paraffin embedded Human Kidney. Heat induced antigen retrieval with citrate buffer pH 6, HRP-staining.



 ${\tt EB05327\ Negative\ Control\ showing\ staining\ of\ paraffin\ embedded\ Human\ Kidney,\ with\ no\ primary\ antibody.}$