

International Office

Everest Biotech Ltd

Vector Laboratories, Inc. 6737 Mowry Ave Newark, CA 94560 United States

Customer Service:

customerservice@vectorlabs.com

Technical Service:

technical@vectorlabs.com

Tel: +1 (800) 227-6666

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

EB11012 - Goat Anti-Tph2 (mouse) Antibody

Size: 100µg specific antibody in 200µl



Target Protein

Principal Names: Tph2, tryptophan hydroxylase 2, AU043594, MGC159133, Ntph, OTTMUSP00000022885, neuronal tryptophan hydroxylase, tryptophan 5-hydroxylase 2, tryptophan 5-monooxygenase 2, AU043594, MGC159133, neuronal tryptophan hydroxylase, Ntph, OTTMUSP00000022885, tryptophan 5-hydroxylase 2, tryptophan 5-monooxygenase 2, tryptophan hydroxylase 2, Tph2

Official Symbol: Tph2

Accession Number(s): NP_775567.2 Non-Human GeneID(s): 216343 (mouse)

Immunogen

Peptide with sequence C-SLTQNKAIKSEDK, from the internal region of the protein sequence according to NP_775567.2.

Please note the peptide is available for sale.

Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

Applications Tested

Peptide ELISA: antibody detection limit dilution 1:32000.

Western blot: Preliminary experiments gave an approx 85kDa band in Mouse fetal Brain lysates after 0.3μg/ml antibody staining. Please note that currently we cannot find an explanation in the literature for the band we observe given the calculated size of 55.9kDa according to NP_775567.2. The 85kDa band was successfully blocked by incubation with the immunizing peptide.

Immunofluorescence: In free-floating samples of Mouse Brain stem staining of Raphe nucleii serotonergic neurons can be seen, that is consistent with observation by different antibodies. Recommended concentration, 0.5-2µg/ml.

Species Reactivity

Tested: Mouse

Expected from sequence similarity: Mouse

Specific References

This antibody has been successfully used on Mouse:

Naika Prince, Lucia N Peralta Marzal, Anastasia Markidi, Sabbir Ahmed, Youri Adolfs, R Jeroen Pasterkamp, Himanshu Kumar, Guus Roeselers, Johan Garssen, Aletta D Kraneveld, Paula Perez-Pardo

Prebiotic diet normalizes aberrant immune and behavioral phenotypes in a mouse model of autism spectrum disorder

Acta Pharmacol Sin. 2024 Aug;45(8):1591-1603.


PMID: 38589690

This antibody has been successfully used in IF on Mouse:

Rahim RS, Meedeniya AC, Crane DI.

Central serotonergic neuron deficiency in a mouse model of Zellweger syndrome. Neuroscience. 2014 Aug 22;274:229-41.

PMID: 24881576



EB11012 (0.5μg/ml) staining of Mouse Brain stem in sagittal (left) and coronal (right) sections of Raphe nuclei.

Detection Alexa 594. Data obtained from Prof. D Crane, Griffith University, Brisbane, Australia