

International Office

Everest Biotech Ltd

Vector Laboratories, Inc. 6737 Mowry Ave Newark, CA 94560 United States

Customer Service:

customerservice@vectorlabs.com

Technical Service:

technical@vectorlabs.com

Tel: +1 (800) 227-6666

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

EB06324 - Goat Anti-VDAC2 (C Terminus) Antibody

Size: 100µg specific antibody in 200µl



Target Protein

Principal Names: VDAC2, voltage-dependent anion channel 2, RP11-375G3.1,

FLJ23841

Official Symbol: VDAC2

Accession Number(s): NP_003366.2

Human GeneID(s): 7417

Immunogen

Peptide with sequence C-GHKVGLALELEA, from the C Terminus of the protein sequence according to NP_003366.2.

Please note the peptide is available for sale.

Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

Applications Tested

Peptide ELISA: antibody detection limit dilution 1:8000.

Western blot: Approx 35kDa band observed in Human Cerebellum and in lysates of cell lines CaCo-2 and LNCaP (calculated MW of 31.6kDa according to Human NP_003366.2). Recommended concentration: 0.3-1μg/ml. Primary incubation 1 hour at room temperature.

IHC: Paraffin embedded Rat Liver. Recommended concentration: 5-6µg/ml.


Species Reactivity

Tested: Human, Rat


Expected from sequence similarity: Human, Mouse, Rat, Dog, Pig, Cow

250kDa 150kDa 100kDa 75kDa 50kDa 37kDa 25kDa 20kDa


EB06324 (0.3 μ g/ml) staining of Human Cerebellum lysate (35 μ g protein in RIPA buffer). Detected by chemiluminescence.



EB06324 (1ug/ml) staining of CaCo-2 (A) and (0.5ug/ml) LNCaP (B) cell lysate (35μg protein in RIPA buffer). Detected by chemiluminescence.



EB06324 (6μg/ml) staining of paraffin embedded Rat Liver. Heat induced antigen retrieval with citrate buffer pH 6, HRP-staining.



EB06324 Negative Control showing staining of paraffin embedded Rat Liver, with no primary antibody.