



UK Office

Everest Biotech Ltd

Cherwell Innovation Centre
77 Heyford Park
Upper Heyford
Oxfordshire
OX25 5HD
UK

Enquiries:

info@everestbiotech.com

Sales:

sales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: +44 (0)1869 238326

www.everestbiotech.com

**Research Use Only. Not for
diagnostic or therapeutic use.**

EBL008-CD209-P1 - Positive Control Lysate for anti- DC-SIGN / CD209 antibody

Size: 50ul

Name

Positive Control Lysate for anti- DC-SIGN / CD209 antibody (EB12715 Batch Specific #P1)

Amount supplied

50ul (5ug/ul protein in RIPA buffer).

Test numbers

7

Storage and Handling

Store lysate at -20°C upon arrival. Avoid repeated freeze /thawed cycles.

Shelf life


3 months.

Reconstitution

Bring vial to 4 °C and add 100ul RIPA buffer

Application tested

Western Blot: 2µg/ml staining of Primary antibody in lysates EBL008-CD209-P1,
Approx.50kDa band observed (calculated MW of 45.8 kDa according to NP_066978.1).
Primary incubation 1 hour at room temperature. Secondary antibody is EB2ND-002-A at
1:40K



Western Blot: 2µg/ml staining of Primary antibody in lysates EBL008-CD209-P1, Approx.50kDa band observed (calculated MW of 45.8 kDa according to NP_066978.1). Primary incubation 1 hour at room temperature. Secondary antibody is EB2ND-002-A at 1:40K