

UK Office

Everest Biotech Ltd

Cherwell Innovation Centre
77 Heyford Park
Upper Heyford
Oxfordshire
OX25 5HD
UK

Enquiries:

info@everestbiotech.com

Sales:

sales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: +44 (0)1869 238326

www.everestbiotech.com

**Research Use Only. Not for
diagnostic or therapeutic use.**

EB09224 - Goat Anti-ATG4C Antibody

Size: 100µg specific antibody in 200µl



Target Protein

Principal Names: ATG4C, ATG4 autophagy related 4 homolog C (S. cerevisiae), APG4-C, APG4C, AUTL1, AUTL3, FLJ14867, APG4 autophagy 4 homolog C, AUT-like 1, cysteine endopeptidase, AUT-like 3 cysteine endopeptidase, OTTHUMP00000010715, autophagin-3, autophagy-related cysteine endopeptidase 3

Official Symbol: ATG4C

Accession Number(s): NP_116241.2; NP_835739.1

Human GeneID(s): [84938](#)

Non-Human GeneID(s): 242557 (mouse), 313391 (rat)

Important Comments: Reported variants represent identical protein: NP_116241.2, NP_835739.1

Immunogen

Peptide with sequence C-EDEKKQLKRFSTEE, from the C- terminus of the protein sequence according to NP_116241.2; NP_835739.1.

Please note the [peptide](#) is available for sale.

Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

Applications Tested


Peptide ELISA: antibody detection limit dilution 1:16000.

Western blot: Approx 50kDa band observed in Human Skeletal Muscle lysates (calculated MW of 52.5kDa according to NP_116241.2). Recommended concentration: 2-6µg/ml.

Species Reactivity

Tested: Human

Expected from sequence similarity: Human, Dog, Cow



EB09224 (2 μ g/ml) staining of Human Skeletal Muscle lysate (35 μ g protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.