



UK Office

Everest Biotech Ltd

Cherwell Innovation Centre
77 Heyford Park
Upper Heyford
Oxfordshire
OX25 5HD
UK

Enquiries:

info@everestbiotech.com

Sales:

sales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: +44 (0)1869 238326

Fax: +44 (0)1869 238327

US Office

Everest Biotech c/o Abcore

405 Maple Street, Suite A106
Ramona,
CA 92065
USA

Inquiries:

info@everestbiotech.com

Sales:

usasales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: 888-320-4628 (toll-free)

Fax: 888-841-9041

www.everestbiotech.com

**Research Use Only. Not for
diagnostic or therapeutic use.**

EB11107 - Goat Anti-Nav1.7 (aa1874-1887) Antibody

Size: 100µg specific antibody in 200µl



Target Protein

Principal Names: ETHA, FEB3B, hNE-Na, Nav1.7, NENA, NE-NA, neuroendocrine sodium channel, OTTHUMP00000204933, OTTHUMP00000204936, peripheral sodium channel 1, PN1, sodium channel protein type 9 subunit alpha, sodium channel protein type IX subunit alpha, sodium channel, voltage-gated, type IX, alpha polypeptide, sodium channel, voltage-gated, type IX, alpha subunit, voltage-gated sodium channel alpha subunit Nav1.7, voltage-gated sodium channel subunit alpha Nav1.7, SCN9A

Official Symbol: SCN9A

Accession Number(s): NP_002968.1; NP_001352465.1

Human GeneID(s): [6335](#)

Non-Human GeneID(s): 20274 (mouse), 78956 (rat)

Immunogen

Peptide with sequence C-KRKQEDVSATVIQR, from the internal region (near C Terminus) of the protein sequence according to NP_002968.1; NP_001352465.1.

Please note the [peptide](#) is available for sale.

Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

Applications Tested

Peptide ELISA: antibody detection limit dilution 1:64000.

Western blot: Preliminary experiments gave an approx 80kDa band in Human Brain (Cerebellum), Mouse brain and Rat Ovary lysates after 0.1µg/ml antibody staining. Please note that currently we cannot find an explanation in the literature for the band we observe given the calculated size of 225kDa according to NP_002968.1. The 80kDa band was successfully blocked by incubation with the immunizing peptide. We would appreciate any feedback from people in the field - have any results been reported with other antibodies/lysates? Have any further splice variants/modified forms been reported?

Species Reactivity

Tested:

Expected from sequence similarity: Human, Cow