

#### **UK Office**

### **Everest Biotech Ltd**

Cherwell Innovation Centre 77 Heyford Park Upper Heyford Oxfordshire OX25 5HD

UK

**Enquiries:** 

info@everestbiotech.com

Sales:

sales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: +44 (0)1869 238326 Fax: +44 (0)1869 238327

#### **US Office**

#### **Everest Biotech c/o Abcore**

405 Maple Street, Suite A106 Ramona,

CA 92065 USA

Inquiries:

info@everestbiotech.com

Sales:

 $\underline{usasales@everest biotech.com}$ 

Tech support:

support@everestbiotech.com

Tel: 888-320-4628 (toll-free)

Fax: 888-841-9041

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

# EB07348 - Goat Anti-Neuregulin 3 Antibody

Size: 100µg specific antibody in 200µl



# **Target Protein**

Principal Names: neuregulin 3, HGNC:7999, NRG3, HRG3, pro-NRG3

Official Symbol: NRG3

Accession Number(s): NP\_001010848.2

Human GeneID(s): 10718

Non-Human GeneID(s): 18183 (mouse)

# **Immunogen**

Peptide with sequence C-RNEIQRDSALTK, from the C Terminus of the protein sequence according to NP\_001010848.2.

Please note the peptide is available for sale.

# **Purification and Storage**

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum

Aliquot and store at -20°C. Minimize freezing and thawing.

# **Applications Tested**


Peptide ELISA: antibody detection limit dilution 1:64000.

Western blot: Approx 75kDa band observed in Human Brain (Cerebellum) lysates and in Mouse and Rat Brain lysates (calculated MW of 75.0kDa according to NP\_001010848.2). Recommended concentration: 0.1-0.3µg/ml. An additional band of unknown identity was also consistently observed at 37kDa. This band was successfully blocked by incubation with the immunising peptide. We would appreciate any feedback from people in the field have any such results been reported with other antibodies/lysates? Have any further splice variants/modified forms been reported?

### **Species Reactivity**

Tested: Human, Mouse, Rat

Expected from sequence similarity: Human, Mouse, Rat, Dog



EB07348 ( $0.3\mu g/ml$ ) staining of Human Brain (Cerebellum) lysate ( $35\mu g$  protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.