

UK Office

Everest Biotech Ltd

Cherwell Innovation Centre
77 Heyford Park
Upper Heyford
Oxfordshire
OX25 5HD
UK

Enquiries:

info@everestbiotech.com

Sales:

sales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: +44 (0)1869 238326

www.everestbiotech.com

**Research Use Only. Not for
diagnostic or therapeutic use.**

EB12451 - Goat Anti-neuron navigator 2 Antibody

Size: 100µg specific antibody in 200µl



Target Protein

Principal Names: NAV2, neuron navigator 2, HELAD1, POMFIL2, RAINB1, STEERIN2, UNC53H2, helicase, APC down-regulated 1, pore membrane and/or filament-interacting-like protein 2, retinoic acid inducible gene in neuroblastoma 1, steerin-2, unc-53 homolog 2

Official Symbol: NAV2

Accession Number(s): NP_892009.3; NP_660093.2; NP_001104488.1; NP_001104489.1; NP_001231892.1

Human GeneID(s): [89797](#)

Important Comments: This antibody is expected to recognize all reported isoforms (NP_892009.3; NP_660093.2; NP_001104488.1; NP_001104489.1; NP_001231892.1).

Immunogen

Peptide with sequence PELNCKGNGTAQS, from the internal region of the protein sequence according to NP_892009.3; NP_660093.2; NP_001104488.1; NP_001104489.1; NP_001231892.1.

Please note the [peptide](#) is available for sale.

Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

Applications Tested

Peptide ELISA: antibody detection limit dilution 1:1000.

Western blot: Preliminary experiments in Human Brain, Kidney and Liver lysates gave no specific signal but low background (at antibody concentration up to 1µg/ml). We would appreciate any feedback from people in the field - have any results been reported with other antibodies/lysates?

Species Reactivity

Tested:

Expected from sequence similarity: Human