

## International Office

### Everest Biotech Ltd

Vector Laboratories, Inc.  
6737 Mowry Ave  
Newark, CA 94560  
United States

Customer Service:

[customerservice@vectorlabs.com](mailto:customerservice@vectorlabs.com)

Technical Service:

[technical@vectorlabs.com](mailto:technical@vectorlabs.com)

Tel: +1 (800) 227-6666

[www.everestbiotech.com](http://www.everestbiotech.com)

**Research Use Only. Not for  
diagnostic or therapeutic use.**

## EB07132 - Goat Anti-BARK1 / GRK2 Antibody

Size: 100µg specific antibody in 200µl



### Target Protein

**Principal Names:** BARK1, GRK2, ADRBK1, adrenergic, beta, receptor kinase 1, BETA-ARK1, beta adrenergic receptor kinase 1

**Official Symbol:** GRK2

**Accession Number(s):** NP\_001610.2

**Human GeneID(s):** [156](#)

**Non-Human GeneID(s):** 110355 (mouse)

### Immunogen

Peptide with sequence C-RDAYREAQQLVQR, from the internal region of the protein sequence according to NP\_001610.2.

Please note the [peptide](#) is available for sale.

### Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

### Applications Tested


**Peptide ELISA:** antibody detection limit dilution 1:16000.

**Western blot:** Approx 80kDa band observed in Daudi cell lysates (calculated MW of 79.7kDa according to NP\_001610.1). An additional band of unknown identity was observed in some lysates at 48kDa and was successfully blocked by incubation with the immunizing peptide. Recommended concentration: 0.3-2µg/ml. Primary incubation 1 hour at room temperature.

### Species Reactivity

**Tested:** Human

**Expected from sequence similarity:** Human, Mouse, Rat, Dog, Pig, Cow



EB07132 (2µg/ml) staining of Daudi cell lysate (35µg protein in RIPA buffer). Detected by chemiluminescence.