

#### **International Office**

#### **Everest Biotech Ltd**

Vector Laboratories, Inc. 6737 Mowry Ave Newark, CA 94560 **United States** 

**Customer Service:** 

customerservice@vectorlabs.com

Technical Service:

technical@vectorlabs.com

Tel: +1 (800) 227-6666

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

# EB11646 - Goat Anti-Clusterin / APOJ (aa44-58) Antibody

Size: 100µg specific antibody in 200µl



## **Target Protein**

Principal Names: aging-associated protein 4, APOJ, apo-J, apolipoprotein J, CLI, CLU, clusterin, com, complement cytolysis inhibitor, KUB1, MGC24903, NA1/NA2, OTTHUMP00000128311, OTTHUMP00000225247, OTTHUMP00000225248, OTTHUMP00000225249, SGP2, SGP-2, SP-40, TRPM2, TRPM-2

Official Symbol: CLU

Accession Number(s): NP\_976084.1

Human GenelD(s): 1191

### **Immunogen**

Peptide with sequence C-KEIQNAVNGVKQIKT, from the internal region of the protein sequence according to NP\_976084.1.

Please note the peptide is available for sale.

## **Purification and Storage**

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

## **Applications Tested**

Peptide ELISA: antibody detection limit dilution 1:64000.

Western blot: Approx 37kDa band observed in human Prostate lysates (calculated MW of 52.5 according to NP\_976084.1). The observed molecular weight corresponds to earlier findings in literature with different antibodies (PMID: 9713325 and PMID: 11560857).

Recommended concentration: 0.03-0.1µg/ml.

## **Species Reactivity**

Tested: Human

Expected from sequence similarity: Human

250kDa 150kDa 100kDa 75kDa 50kDa 37kDa 25kDa 20kDa

EB11646 (0.03μg/ml) staining of Human Prostate lysate (35μg protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.