



## International Office

### Everest Biotech Ltd

Vector Laboratories, Inc.  
6737 Mowry Ave  
Newark, CA 94560  
United States

Customer Service:

[customerservice@vectorlabs.com](mailto:customerservice@vectorlabs.com)

Technical Service:

[technical@vectorlabs.com](mailto:technical@vectorlabs.com)

Tel: +1 (800) 227-6666

[www.everestbiotech.com](http://www.everestbiotech.com)

**Research Use Only. Not for  
diagnostic or therapeutic use.**

## EB09041 - Goat Anti-CYP26A1 Antibody

Size: 100µg specific antibody in 200µl



### Target Protein

**Principal Names:** CYP26A1, cytochrome P450, family 26, subfamily A, polypeptide 1, CP26, CYP26, P450RAI, P450RAI1, P450, retinoic acid-inactivating, 1, cytochrome P450, subfamily XXVIA, polypeptide 1, retinoic acid 4-hydroxylase, retinoic acid-metabolizing cytochrome

**Official Symbol:** CYP26A1

**Accession Number(s):** NP\_000774.2; NP\_476498.1

**Human GeneID(s):** [1592](#)

**Important Comments:** This antibody is expected to recognize both reported isoforms (NP\_000774.2; NP\_476498.1)

### Immunogen

Peptide with sequence C-NLPARFTHFHGE, from the internal region of the protein sequence according to NP\_000774.2; NP\_476498.1.

Please note the [peptide](#) is available for sale.

### Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

### Applications Tested

**Peptide ELISA:** antibody detection limit dilution 1:16000.


**IHC:** Paraffin embedded Human Brain (Cortex and Cerebellum). Recommended concentration: 3.75µg/ml.

**Immunocytochemistry:** ER-staining of PFA-fixed and TX100-treated HeLa cells. Recommended concentration: 2-5ug/ml.


### Species Reactivity

**Tested:** Human


**Expected from sequence similarity:** Human



EB09041 (2.5µg/ml) staining of PFA-fixed and TX100-treated HeLa cells after primary labelling overnight at 4C with DAPI nuclear counterstaining in blue.



EB09041 (3.75µg/ml) staining of paraffin embedded Human Cortex. Steamed antigen retrieval with citrate buffer pH 6, AP-staining.



EB09041 (3.75µg/ml) staining of paraffin embedded Human Cerebellum. Steamed antigen retrieval with citrate buffer pH 6, AP-staining.