



UK Office

Everest Biotech Ltd

Cherwell Innovation Centre
77 Heyford Park
Upper Heyford
Oxfordshire
OX25 5HD
UK

Enquiries:

info@everestbiotech.com

Sales:

sales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: +44 (0)1869 238326

www.everestbiotech.com

**Research Use Only. Not for
diagnostic or therapeutic use.**

EB05703 - Goat Anti-Cyt19 / AS3MT Antibody

Size: 100µg specific antibody in 200µl



Target Protein

Principal Names: AS3MT, CYT19, Cyt19, Cyt19 protein, likely ortholog of rat methyltransferase Cyt19, S-adenosylmethionine:arsenic (III) methyltransferase, arsenic (+3 oxidation state) methyltransferase, RP11-753C18.6, 2310045H08Rik, methylarsonite methyltransferase, methyltransferase cyt19

Official Symbol: AS3MT

Accession Number(s): NP_065733.2

Human GeneID(s): [57412](#)

Immunogen

Peptide with sequence AALRD AEIQKDVQ-C, from the N Terminus of the protein sequence according to NP_065733.2.

Please note the [peptide](#) is available for sale.

Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

Applications Tested


Peptide ELISA: antibody detection limit dilution 1:32000.

IHC: In paraffin embedded Human Kidney shows cytoplasm staining of epithelial cells with some emphasis on the luminal side of the DCT.. Recommended concentration, 3-6µg/ml.

Species Reactivity

Tested:

Expected from sequence similarity: Human



EB05703 (3.8 μ g/ml) staining of paraffin embedded Human Kidney. Steamed antigen retrieval with citrate buffer pH 6, AP-staining.