

#### **International Office**

#### **Everest Biotech Ltd**

Vector Laboratories, Inc. 6737 Mowry Ave Newark, CA 94560 United States

**Customer Service:** 

customerservice@vectorlabs.com

Technical Service:

technical@vectorlabs.com

Tel: +1 (800) 227-6666

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

# EB08317 - Goat Anti-DNMT1 Antibody

Size: 100µg specific antibody in 200µl



## **Target Protein**

Principal Names: DNMT1, DNA (cytosine-5-)-methyltransferase 1, CXXC9, DNMT,

FLJ16293, MCMT, MGC104992, DNA methyltransferase 1

Official Symbol: DNMT1

Accession Number(s): NP\_001370.1

Human GenelD(s): 1786

Non-Human GenelD(s): 13433 (mouse), 84350 (rat)

### **Immunogen**

Peptide with sequence C-RFESPPKTQPTEDN, from the internal egion of the protein sequence according to NP\_001370.1 .

Please note the peptide is available for sale.

## **Purification and Storage**

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

## **Applications Tested**

Peptide ELISA: antibody detection limit dilution 1:32000.

Western blot: Approx 170kDa band observed in lysates of cell line Jurkat (calculated MW of 183kDa according to NP\_001370.1). Recommended concentration: 0.5-1.5μg/ml. Primary incubation was 1 hour. Preliminary testing was unsuccessful on Mouse for this particular batch.

**IHC:** In paraffin embedded Human Kidney shows nuclear staining in PCT. Recommended concentration: 3-6µg/ml.


#### **Species Reactivity**

Tested: Human

Expected from sequence similarity: Human, Mouse, Rat, Dog, Cow, Pig



 $EB08317\ (0.5\mu g/ml)\ staining\ of\ Jurkat\ cell\ lysate\ (35\mu g\ protein\ in\ RIPA\ buffer).\ Detected\ by\ chemiluminescence.$ 



EB08317 (3.8 $\mu$ g/ml) staining of paraffin embedded Human Kidney. Steamed antigen retrieval with citrate buffer pH 6, AP-staining.