

International Office

Everest Biotech Ltd

Vector Laboratories, Inc. 6737 Mowry Ave Newark, CA 94560 United States

Customer Service:

customerservice@vectorlabs.com

Technical Service:

technical@vectorlabs.com

Tel: +1 (800) 227-6666

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

EB06051 - Goat Anti-ETEA / UBXD8 Antibody

Size: 100µg specific antibody in 200µl



Target Protein

Principal Names: FAF2, ETEA, UBXD8, KIAA0887, expressed in T-cells and eosinophils in atopic dermatitis, UBX domain containing 8, Fas associated factor family member 2,

UBXN3B, UBX domain protein 3B

Official Symbol: FAF2

Accession Number(s): NP_055428.1

Human GenelD(s): 23197

Non-Human GenelD(s): 76577 (mouse)

Immunogen

Peptide with sequence C-HTEVLFVQDLTDE, from the C Terminus of the protein sequence according to NP_055428.1.

Please note the peptide is available for sale.

Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

Applications Tested

Peptide ELISA: antibody detection limit dilution 1:16000.


Western blot: Approx 55kDa band observed in lysates of Human and Mouse Thymus and of cell line Jurkat (calculated MW of 52.6kDa according to NP_055428.1).

Recommended concentration: 0.3-1µg/ml.

Species Reactivity

Tested: Human, Mouse

Expected from sequence similarity: Human, Mouse, Rat, Dog, Cow



EB06051 (1µg/ml) staining of Human (A) and Mouse (B) Thymus lysate (35µg protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.



EB06051 staining (0.3µg/ml) of Jurkat lysate (RIPA buffer, 35µg total protein per lane). Primary incubated for 1 hour. Detected by chemiluminescence.