

#### **International Office**

#### **Everest Biotech Ltd**

Vector Laboratories, Inc. 6737 Mowry Ave Newark, CA 94560 United States

**Customer Service:** 

customerservice@vectorlabs.com

Technical Service:

technical@vectorlabs.com

Tel: +1 (800) 227-6666

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

# EB09905 - Goat Anti-FBXO4 Antibody

Size: 100µg specific antibody in 200µl



### **Target Protein**

Principal Names: DKFZp547N213, F-box only protein 4, F-box protein 4, F-box protein

Fbx4, FBX4, FLJ10141, FBXO4

Official Symbol: FBXO4

Accession Number(s): NP\_036308.1; NP\_277019.1

Human GenelD(s): 26272

Non-Human GenelD(s): 106052 (mouse), 310363 (rat)

Important Comments: This antibody is expected to recognize isoform 1 and 2

(NP\_036308.1; NP\_277019.1).

### Immunogen

Peptide with sequence C-EHTSAVNKMFSRH, from the internal region of the protein sequence according to NP\_036308.1; NP\_277019.1.

Please note the peptide is available for sale.

### **Purification and Storage**

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

### **Applications Tested**

Peptide ELISA: antibody detection limit dilution 1:8000.


**Western blot:** Preliminary experiments gave an approx 48kDa band in Human Heart ysates after 1μg/ml antibody staining. Please note that currently we cannot find an explanation in the literature for the band we observe given the calculated size of 44.1kDa according to NP\_036308.1. The 48kDa band was successfully blocked by incubation with the immunizing peptide.

IHC: Paraffin embedded Human Tonsil. Recommended concentration: 2.5µg/ml.

## **Species Reactivity**

Tested: Human

Expected from sequence similarity: Human, Mouse, Rat, Cow



EB09905 (2.5 $\mu$ g/ml) staining of paraffin embedded Human Tonsil. Steamed antigen retrieval with citrate buffer pH 6, AP-staining.