

International Office

Everest Biotech Ltd

Vector Laboratories, Inc. 6737 Mowry Ave Newark, CA 94560 United States

Customer Service:

customerservice@vectorlabs.com

Technical Service:

technical@vectorlabs.com

Tel: +1 (800) 227-6666

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

EB12448 - Goat Anti-FCRL2 (aa92-104) Antibody

Size: 100µg specific antibody in 200µl



Target Protein

Principal Names: FCRL2, Fc receptor-like 2, CD307b, FCRH2, IFGP4, IRTA4, SPAP1, SPAP1A, SPAP1B, SPAP1C, Fc receptor-like protein 2, IFGP family protein 4, SH2 domain containing phosphatase anchor protein 1, SH2 domain-containing phosphatase

anchor protein 1, fc receptor h

Official Symbol: FCRL2

Accession Number(s): NP_110391.2

Human GenelD(s): 79368

Immunogen

Peptide with sequence C-DKTSNIVKIKVQE, from the internal region of the protein sequence according to NP_110391.2.

Please note the peptide is available for sale.

Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

Applications Tested

Peptide ELISA: antibody detection limit dilution 1:16000.


Western blot: Approx 60kDa band observed in lysates of Human Tonsil and of cell line Daudi (calculated MW of 55.5kDa according to NP_110391.2). Recommended

concentration: 1-3µg/ml.

Species Reactivity

Tested: Human

Expected from sequence similarity: Human



EB12448 (1μg/ml) staining of Human Tonsil (A) and Daudi (B) lysates (35μg protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.