

#### **International Office**

#### **Everest Biotech Ltd**

Vector Laboratories, Inc. 6737 Mowry Ave Newark, CA 94560 United States

**Customer Service:** 

customerservice@vectorlabs.com

Technical Service:

technical@vectorlabs.com

Tel: +1 (800) 227-6666

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

# EB06008 - Goat Anti-FOXD1 / FREAC4 / FKHL8 Antibody

Size: 100µg specific antibody in 200µl



# **Target Protein**

**Principal Names:** FOXD1, forkhead box D1, FKHL8, FREAC4, forkhead (Drosophila)-like 8, forkhead-related activator 4, Forkhead, drosophila, homolog-like 8, forkhead-like 8

Official Symbol: FOXD1

Accession Number(s): NP\_004463.1

Human GenelD(s): 2297

Non-Human GenelD(s): 15229 (mouse)

#### **Immunogen**

Peptide with sequence SSVENFTARISNC, from the C Terminus of the protein sequence according to NP\_004463.1.

Please note the peptide is available for sale.

# **Purification and Storage**

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

# **Applications Tested**

Peptide ELISA: antibody detection limit dilution 1:128000.


Immunofluorescence: Strong expression of the protein seen in the nuclei of U2OS cells.

Recommended concentration:  $10\mu g/ml$ .

### **Species Reactivity**

Tested: Human

Expected from sequence similarity: Human, Mouse, Rat



EB06008 Immunofluorescence analysis of paraformaldehyde fixed U2OS. Primary incubation 1hr (1:50 dilution) followed by Alexa Fluor® 488 secondary antibody (1:2000 dilution), showing nuclear staining. The nuclear stain is DAPI (blue). Negative control: Anti-Goat IgG followed by Alexa Fluor® 488 secondary antibody.