

International Office

Everest Biotech Ltd

Vector Laboratories, Inc. 6737 Mowry Ave Newark, CA 94560 United States

Customer Service: <u>customerservice@vectorlabs.com</u> Technical Service: <u>technical@vectorlabs.com</u>

Tel: +1 (800) 227-6666

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

EB06011 - Goat Anti-FOXE1 / TTF2 Antibody

Size: 100µg specific antibody in 200µl



Target Protein

Principal Names: FOXE1, TTF2, forkhead box E1 (thyroid transcription factor 2), FOXE2, HFKH4, HFKL5, TITF2, TTF-2, FKHL15, forkhead (Drosophila)-like 15, forkhead box E1, forkhead box E2, thyroid transcription factor-2, Forkhead, drosophila, homolog-like 15 Official Symbol: FOXE1 Accession Number(s): NP_004464.2 Human GeneID(s): 2304

Immunogen

Peptide with sequence C-AYPGGIDRFVSAM, from the C Terminus of the protein sequence according to NP_004464.2.

Please note the peptide is available for sale.

Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

Applications Tested


Peptide ELISA: antibody detection limit dilution 1:8000.

Western blot: Preliminary experiments gave an approx 70kDa band in Human Thymus and Thyroid Gland lysates after 0.3μ g/ml antibody staining. Please note that currently we cannot find an explanation in the literature for the band we observe given the calculated size of 38.1kDa according to NP_004464.2. The 70kDa band was successfully blocked by incubation with the immunizing peptide.


IHC: In paraffin embedded Human Thyroid Gland shows nuclear staining in thyrocytes. Recommended concentration: 2-4µg/ml. Paraffin embedded Human Testis. Recommended concentration: 5µg/ml.

Species Reactivity

Tested: Human Expected from sequence similarity: Human



EB06011 (2µg/ml) staining of paraffin embedded Human Thyroid Gland. Steamed antigen retrieval with Tris/EDTA buffer pH 9, HRP-staining.



EB06011 (5µg/ml) staining of paraffin embedded Human Testis. Steamed antigen retrieval with Tris/EDTA buffer pH 9, AP-staining.