

#### **UK Office**

### **Everest Biotech Ltd**

Cherwell Innovation Centre 77 Heyford Park Upper Heyford Oxfordshire

OX25 5HD

UK

Enquiries:

info@everestbiotech.com

Sales:

sales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: +44 (0)1869 238326 Fax: +44 (0)1869 238327

#### **US Office**

#### **Everest Biotech c/o Abcore**

405 Maple Street, Suite A106

Ramona, CA 92065 USA

Inquiries:

info@everestbiotech.com

Sales:

 $\underline{usasales@everest biotech.com}$ 

Tech support:

support@everestbiotech.com

Tel: 888-320-4628 (toll-free)

Fax: 888-841-9041

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

# EB12198 - Goat Anti-FOXF1 (aa316-330) Antibody

Size: 100µg specific antibody in 200µl



### **Target Protein**

**Principal Names:** FOXF1, forkhead box F1, ACDMPV, FKHL5, FREAC1, FREAC-1, Forkhead, drosophila, homolog-like 5, forkhead box protein F1, forkhead-related activator

1, forkhead-related protein FKHL5, forkhead-related transcription factor 1

Official Symbol: FOXF1

Accession Number(s): NP\_001442.2

Human GeneID(s): 2294

#### **Immunogen**

Peptide with sequence C-QNSHNAPAELQGIPR, from the internal region of the protein sequence according to NP\_001442.2.

Please note the peptide is available for sale.

## **Purification and Storage**

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

## **Applications Tested**

Peptide ELISA: antibody detection limit dilution 1:128000.

Western blot: Preliminary experiments gave an approx 48kDa band in lysates of cell line MRC5 PD19 after 1μg/ml antibody staining. Please note that currently we cannot find an explanation in the literature for the band we observe given the calculated size of 40.1kDa according to NP\_001442.2. The 48kDa band was successfully blocked by incubation with the immunizing peptide. We would appreciate any feedback from people in the field - have any results been reported with other antibodies/lysates? Have any further splice variants/modified forms been reported?

## **Species Reactivity**

Tested:

Expected from sequence similarity: Human