

International Office

Everest Biotech Ltd

Vector Laboratories, Inc. 6737 Mowry Ave Newark, CA 94560 United States

Customer Service:

customerservice@vectorlabs.com

Technical Service:

technical@vectorlabs.com

Tel: +1 (800) 227-6666

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

EB06392-T - Goat Anti-FOXO3A / FOXO3 / FKHRL1 Antibody - Trial

Size: 20µg specific antibody in 40µl

Target Protein

Principal Names: FOXO3A, FKHRL1, AF6q21, FKHRL1P2, MGC12739, MGC31925,

DKFZp781A0677, forkhead box O3A, forkhead (Drosophila) homolog

(rhabdomyosarcoma) like 1, forkhead, Drosophila, homolog of, in rhabdomyosarcoma-like 1, FOXO3, forkhead box O3, FOXO2, forkhead homolog (rhabdomyosarcoma) like 1,

forkhead, Drosophila, homolog of, in rhabdomyosarcoma-like 1

Official Symbol: FOXO3

Accession Number(s): NP_001446.1

Human GeneID(s): 2309

Non-Human GenelD(s): 56484 (mouse)

Important Comments: Both variants represent identical protein (NP_001446.1 and

NP_963853.1).

Immunogen

Peptide with sequence C-GAKQASSQSWVPG, from the C Terminus of the protein sequence according to NP_001446.1.

Please note the peptide is available for sale.

Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

Applications Tested

Peptide ELISA: antibody detection limit dilution 1:8000.


Western blot: Approx 70kDa band observed in Human Heart lysates (calculated MW of 71.3kDa according to NP_001446.1). Recommended concentration: 0.1-1 μg/ml. Primary incubation was 1 hour. Preliminary testing was unsuccessful on Mouse for this particular batch.

IHC: Paraffin embedded Human Kidney. Recommended concentration: 5µg/ml.


Species Reactivity

Tested: Human


Expected from sequence similarity: Human, Mouse, Rat, Dog, Pig, Cow



EB06392 (0.3 μ g/ml) staining of Human Heart lysate (35 μ g protein in RIPA buffer) with (A) and without (B) blocking with the immunising peptide. Detected by chemiluminescence.



EB06392 (5μg/ml) staining of paraffin embedded Human Kidney. Heat induced antigen retrieval with citrate buffer pH 6, HRP-staining.



 ${\tt EB06392\ Negative\ Control\ showing\ staining\ of\ paraffin\ embedded\ Human\ Kidney,\ with\ no\ primary\ antibody.}$