



UK Office

Everest Biotech Ltd

Cherwell Innovation Centre
77 Heyford Park
Upper Heyford
Oxfordshire
OX25 5HD
UK

Enquiries:

info@everestbiotech.com

Sales:

sales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: +44 (0)1869 238326

www.everestbiotech.com

**Research Use Only. Not for
diagnostic or therapeutic use.**

EB05937 - Goat Anti-GNIP / TRIM7 Antibody

Size: 100µg specific antibody in 200µl



Target Protein

Principal Names: TRIM7, GNIP1, RNF90, tripartite motif-containing 7, tripartite motif protein TRIM7, glycogenin-interacting protein 1, GNIP, glycogenin-interacting protein

Official Symbol: TRIM7

Accession Number(s): NP_203128.1

Human GeneID(s): [81786](#)

Immunogen

Peptide with sequence C-QAPAGPPWDITEA, from the C Terminus of the protein sequence according to NP_203128.1.

Please note the [peptide](#) is available for sale.

Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

Applications Tested

Peptide ELISA: antibody detection limit dilution 1:32000.

Western blot: Approx 25-30kDa band observed in Human Skeletal Muscle lysate (predicted MW of 25kDa according to NP_203128). Recommended for use at 1µg/ml.

IHC: In paraffin embedded Human Skeletal Muscle shows pixulate staining in the fibres. Recommended concentration, 3-6µg/ml.


Species Reactivity

Tested: Human

Expected from sequence similarity: Human



EB05937 (1 μ g/ml) staining of Human Skeletal Muscle lysate (RIPA buffer, 30 μ g total protein per lane). Primary incubated for 1 hour. Detected by western blot using chemiluminescence.



EB05937 (3.8 μ g/ml) staining of paraffin embedded Human Skeletal Muscle. Steamed antigen retrieval with citrate buffer pH 6, AP-staining.