



UK Office

Everest Biotech Ltd

Cherwell Innovation Centre
77 Heyford Park
Upper Heyford
Oxfordshire
OX25 5HD
UK

Enquiries:

info@everestbiotech.com

Sales:

sales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: +44 (0)1869 238326

www.everestbiotech.com

**Research Use Only. Not for
diagnostic or therapeutic use.**

EB05586 - Goat Anti-ICSBP1 / IRF8 Antibody

Size: 100µg specific antibody in 200µl



Target Protein

Principal Names: IRF8, ICSBP1, interferon consensus sequence binding protein 1, IRF-8, H-ICSBP, interferon regulatory factor 8

Official Symbol: IRF8

Accession Number(s): NP_002154.1

Human GeneID(s): [3394](#)

Non-Human GeneID(s): 15900 (mouse)

Immunogen

Peptide with sequence C-QRSFFRENQQITV, from the C Terminus of the protein sequence according to NP_002154.1.

Please note the [peptide](#) is available for sale.

Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

Applications Tested

Peptide ELISA: antibody detection limit dilution 1:8000.

Western blot: Approx 45-50kDa band seen in K562 lysate (Predicted MW of 47kDa according to NP_002154.1). Recommended concentration: 0.5-2µg/ml.

IHC: Paraffin embedded Human Tonsil. Recommended concentration: 5µg/ml.


Species Reactivity

Tested: Human

Expected from sequence similarity: Human, Mouse, Rat, Cow



EB05586 staining (1 μ g/ml) of K562 lysate (RIPA buffer, 30 μ g total protein per lane). Primary incubated for 1 hour. Detected by western blot using chemiluminescence.



EB05586 (5 μ g/ml) staining of paraffin embedded Human Tonsil. Steamed antigen retrieval with citrate buffer pH 6, AP-staining.