



International Office

Everest Biotech Ltd

Vector Laboratories, Inc.
6737 Mowry Ave
Newark, CA 94560
United States

Customer Service:

customerservice@vectorlabs.com

Technical Service:

technical@vectorlabs.com

Tel: +1 (800) 227-6666

www.everestbiotech.com

**Research Use Only. Not for
diagnostic or therapeutic use.**

EB11330 - Goat Anti-IRF4 Antibody

Size: 100µg specific antibody in 200µl



Target Protein

Principal Names: interferon regulatory factor 4, LSIRF, multiple myeloma oncogene 1, MUM1, IRF4

Official Symbol: IRF4

Accession Number(s): NP_002451.2

Human GeneID(s): [3662](#)

Immunogen

Peptide with sequence C-HISNPEDYHRSIR, from the C Terminus of the protein sequence according to NP_002451.2.

Please note the [peptide](#) is available for sale.

Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

Applications Tested

Peptide ELISA: antibody detection limit dilution 1:64000.


Western blot: Approx 48kDa band observed in lysates of cell lines Daudi and Jurkat and approx,48-50kDa in lysates of cell line NIH3T3 (calculated MW of 51.8kDa according to Human NP_002451.2 and 51.4kDa according to Mouse NP_001334437.1).

Recommended concentration: 0.5-2µg/ml. Primary incubation 1 hour at room temperature.

Species Reactivity

Tested: Human, Mouse

Expected from sequence similarity: Human



EB11330 (0.5 μ g/ml) staining of Daudi (A) and Jurkat (B) cell lysate (35 μ g protein in RIPA buffer). Detected by chemiluminescence.



EB11330 (0.5 μ g/ml) staining of NIH3T3 cell lysate (35 μ g protein in RIPA buffer). Detected by chemiluminescence.