

#### **International Office**

#### **Everest Biotech Ltd**

Vector Laboratories, Inc. 6737 Mowry Ave Newark, CA 94560 United States

**Customer Service:** 

customerservice@vectorlabs.com

Technical Service:

technical@vectorlabs.com

Tel: +1 (800) 227-6666

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

# EB12996 - Goat Anti-LILRA4 (aa68-78) Antibody

Size: 100µg specific antibody in 200µl



## **Target Protein**

**Principal Names:** LILRA4, leukocyte immunoglobulin-like receptor, subfamily A (with TM domain), member 4, CD85g, ILT7, CD85 antigen-like family member G, ILT-7, immunoglobulin-like transcript 7, leukocyte immunoglobulin-like receptor subfamily A

member 4, leukocyte immunog **Official Symbol:** LILRA4

Accession Number(s): NP\_036408.3

Human GenelD(s): 23547

### **Immunogen**

Peptide with sequence C-SRHILKTLESE, from the internal region of the protein sequence according to NP\_036408.3.

Please note the peptide is available for sale.

## **Purification and Storage**

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

### **Applications Tested**

Peptide ELISA: antibody detection limit dilution 1:16000.

**Western blot:** Approx 55kDa band observed in Human Lymph Node lysates (calculated MW of 55.2kDa according to NP\_036408.3). Recommended concentration: 0.1-0.3µg/ml.

### **Species Reactivity**

Tested: Human

Expected from sequence similarity: Human

250kDa 150kDa 100kDa 75kDa 50kDa 37kDa 25kDa 20kDa

EB12996 ( $0.3\mu g/ml$ ) staining of Human Lymph Node lysate ( $35\mu g$  protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.