

#### **International Office**

#### **Everest Biotech Ltd**

Vector Laboratories, Inc. 6737 Mowry Ave Newark, CA 94560 United States

**Customer Service:** 

customerservice@vectorlabs.com

Technical Service:

technical@vectorlabs.com

Tel: +1 (800) 227-6666

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

# EB07476 - Goat Anti-mKIAA0319 (mouse) Antibody

Size: 100µg specific antibody in 200µl



## **Target Protein**

Principal Names: mKIAA0319, similar to KIAA0319 gene product, 4930451E12Rik,

**KIAA0319** 

Official Symbol: D130043K22Rik

Accession Number(s): NP\_001074520.1

Non-Human GenelD(s): 210108 (mouse), 361244 (rat)

**Important Comments:** The variants XP\_341528.2 and XP\_001070349.1 represent identical protein. This antibody is expected to cross-react with mouse KIAA0319 isoform 1

(NP\_001074520.1), isoform 2 (XP\_994023.1) and isoform 4 (XP\_913491.1).

## **Immunogen**

Peptide with sequence C-QGKIKQENKPTLH, from the internal region of the protein sequence according to NP\_001074520.1.

Please note the peptide is available for sale.

# **Purification and Storage**

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

#### **Applications Tested**

Peptide ELISA: antibody detection limit dilution 1:128000.

Western blot: Approx 150kDa band observed in Mouse Brain lysates (calculated MW of 118kDa according to Mouse NP\_001074520.1). The observed molecular weight corresponds to earlier findings in literature with different antibodies (Velayos-Baeza, Hum Mol Genet. 2008 Mar 15;17(6):859-71; PMID: 18063668). Recommended concentration: 0.5-1.5μg/ml. An additional band of unknown identity was also consistently observed at 25kDa. This band was successfully blocked by incubation with the immunizing peptide. We would appreciate any feedback from people in the field - have any such results been reported with other antibodies/lysates? Have any further splice variants/modified forms been reported?

## **Species Reactivity**

Tested: Mouse

Expected from sequence similarity: Mouse, Rat



EB07476 (0.5μg/ml) staining of Mouse Brain lysate (35μg protein in RIPA buffer). Primary incubation was 1 hour.

Detected by chemiluminescence.