



UK Office

Everest Biotech Ltd

Cherwell Innovation Centre
77 Heyford Park
Upper Heyford
Oxfordshire
OX25 5HD
UK

Enquiries:

info@everestbiotech.com

Sales:

sales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: +44 (0)1869 238326

www.everestbiotech.com

**Research Use Only. Not for
diagnostic or therapeutic use.**

EB05410 - Goat Anti-MRGX Antibody

Size: 100µg specific antibody in 200µl



Target Protein

Principal Names: MORF4L2, MRGX, MORF-related gene X, KIAA0026, KIAA0026 gene product, mortality factor 4 like 2, RP5-1055C14.2, MORFL2, MSL3-2 protein, OTTHUMP00000023756

Official Symbol: MORF4L2

Accession Number(s): NP_036418.1

Human GeneID(s): [9643](#)

Non-Human GeneID(s): 56397 (mouse)

Immunogen

Peptide with sequence SSRKQGSQPRGQQS-C, from the N Terminus of the protein sequence according to NP_036418.1.

Please note the [peptide](#) is available for sale.

Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

Applications Tested

Peptide ELISA: antibody detection limit dilution 1:32000.

Western blot: Approx 35kDa band observed in lysates of cell line A431 (calculated MW of 32.3kDa according to NP_036418.1). In transfected HEK293 transiently expressing MORF4L2 a band of approx. 37kDa is observed. This band is not observed in the non-transfected HEK293. Recommended concentration: 1-3µg/ml. Primary incubation was for 1 hour.

Additional validation: This antibody has been successfully used in the following paper: Sikorski et al. (2018) PMID: 30377371.

Species Reactivity

Tested: Human

Expected from sequence similarity: Human

Specific Reference


This antibody has been successfully used in the following paper:

Krzysztof Sikorski, Adi Mehta, Marit Inngjerdigen, Flourina Thakor, Simon Kling, Tomas Kalina, Tuula A. Nyman, Maria Ekman Stensland, Wei Zhou, Gustavo A. De Souza, Lars Holden, Jan Stuchly, Markus Templin and Fridtjof Lund-Johansen


A high-throughput pipeline for validation of antibodies

Nat Methods. 2018 Nov;15(11):909-912

PMID: 30377371



EB05410 staining (0.2µg/ml) of A431 lysate (RIPA buffer, 35µg total protein per lane). Detected by chemiluminescence.



HEK293 overexpressing MORF4L2 (RC210566) and probed with EB05410 (mock transfection in first lane), tested by Origene.