

#### **International Office**

#### **Everest Biotech Ltd**

Vector Laboratories, Inc. 6737 Mowry Ave Newark, CA 94560 United States

**Customer Service:** 

customerservice@vectorlabs.com

Technical Service:

technical@vectorlabs.com

Tel: +1 (800) 227-6666

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

# EB06140 - Goat Anti-MUNC18 / STXBP1 (isoform a) Antibody

Size: 100µg specific antibody in 200µl



#### **Target Protein**

**Principal Names:** STXBP1, MUNC18-1, UNC18, hUNC18, syntaxin binding protein 1, Hunc18, rbSec1, syntaxin-binding protein 1, RP11-56D16.3, EIEE4, FLJ37475, RBSEC1

Official Symbol: STXBP1

Accession Number(s): NP\_003156.1

Human GeneID(s): 6812

Non-Human GenelD(s): 20910 (mouse)

**Important Comments:** This antibody is expected to recognize isoform a (NP\_003156.1).

#### **Immunogen**

Peptide with sequence C-SRVSFEDQAPTME, from the C Terminus of the protein sequence according to NP\_003156.1.

Please note the peptide is available for sale.

#### **Purification and Storage**

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

#### **Applications Tested**

Peptide ELISA: antibody detection limit dilution 1:16000.

**Western blot:** Approx 70-75kDa band observed in Human Cerebellum lysates (calculated MW of 68.7kDa according to Human NP\_003156.1). Recommended concentration:

 $0.1\text{-}0.3\mu\text{g/ml}$ . Primary incubation 1 hour at room temperature.

IHC: Paraffin embedded Human Brain (Cortex). Recommended concentration: 5µg/ml.

### **Species Reactivity**

Tested: Human

Expected from sequence similarity: Human, Mouse

## **Specific Reference**

This antibody has been successfully used in IHC on Mouse:

Meijer M, Cijsouw T, Toonen RF, Verhage M.

Synaptic Effects of Munc18-1 Alternative Splicing in Excitatory Hippocampal Neurons.

PLoS One. 2015 Sep 25;10(9):e0138950.


PMID: 26407320



EB06140 (0.3 $\mu$ g/ml) staining of Human Cerebellum lysate (35 $\mu$ g protein in RIPA buffer). Detected by chemiluminescence.



EB06140 (5µg/ml) staining of paraffin embedded Human Cortex. Heat induced antigen retrieval with citrate buffer pH 6, HRP-staining.



EB06140 Negative Control showing staining of paraffin embedded Human Cortex, with no primary antibody.