

International Office

Everest Biotech Ltd

Vector Laboratories, Inc. 6737 Mowry Ave Newark, CA 94560 United States

Customer Service:

customerservice@vectorlabs.com

Technical Service:

technical@vectorlabs.com

Tel: +1 (800) 227-6666

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

EB07865 - Goat Anti-MYLK Antibody

Size: 100µg specific antibody in 200µl



Target Protein

Principal Names: MYLK, myosin, light chain kinase, DKFZp686l10125, FLJ12216, KRP, MLCK, MLCK108, MLCK210, MSTP083, myosin light chain kinase, myosin, light

polypeptide kinase

Official Symbol: MYLK

Accession Number(s): NP_444253.3; NP_444254.3; NP_444255.3; NP_444256.3

Human GeneID(s): 4638

Important Comments: This antibody is expected to recognise all reported isoforms

(NP_444253.3; NP_444254.3; NP_444255.3 and NP_444256.3).

Immunogen

Peptide with sequence C-KDTKNMEAKKLSKD, from the internal region of the protein sequence according to NP_444253.3; NP_444254.3; NP_444255.3; NP_444256.3.

Please note the peptide is available for sale.

Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin

Aliquot and store at -20°C. Minimize freezing and thawing.

Applications Tested

Peptide ELISA: antibody detection limit dilution 1:8000.

Western blot: Approx 150kDa band observed in Human Colon and Lung lysates (calculated MW of 197kDa according to NP_444256.3). Recommended concentration: 0.01-0.03µg/ml.

Species Reactivity

Tested: Human

Expected from sequence similarity: Human, Mouse,

250kDa 150kDa 100kDa 75kDa 50kDa 37kDa 25kDa

EB07865 ($0.03\mu g/ml$) staining of Human Colon lysate ($35\mu g$ protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.