

International Office

Everest Biotech Ltd

Vector Laboratories, Inc. 6737 Mowry Ave Newark, CA 94560 United States

Customer Service:

customerservice@vectorlabs.com

Technical Service:

technical@vectorlabs.com

Tel: +1 (800) 227-6666

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

EB08455 - Goat Anti-NCOA3 Antibody

Size: 100µg specific antibody in 200µl



Target Protein

Principal Names: NCOA3, nuclear receptor coactivator 3, RP5-1049G16.3, ACTR, AIB-1, AIB1, CAGH16, CTG26, MGC141848, RAC3, SRC-1, SRC3, TNRC14, TNRC16, TRAM-1, pCIP, CBP-interacting protein, amplified in breast cancer-1, receptor-associated coactivator 3

Official Symbol: NCOA3

Accession Number(s): NP_006525.2; NP_858045.1

Human GeneID(s): 8202

Important Comments: This antibody is expected to recognise both reported isoforms

(NP_006525.2; NP_858045.1)

Immunogen

Peptide with sequence C-TNETQRQKSHT, from the internal region of the protein sequence according to NP_006525.2; NP_858045.1.

Please note the peptide is available for sale.

Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

Applications Tested


Peptide ELISA: antibody detection limit dilution 1:16000.

IHC: Paraffin embedded Human Placenta and Spleen. Recommended concentration: 3.75µg/ml.


Species Reactivity

Tested: Human

Expected from sequence similarity: Human, Mouse



EB08455 (3.75 μ g/ml) staining of paraffin embedded Human Placenta. Steamed antigen retrieval with citrate buffer pH 6, AP-staining.



 $EB08455 \ (3.75 \mu g/ml) \ staining \ of paraffin \ embedded \ Human \ Spleen. \ Steamed \ antigen \ retrieval \ with \ citrate \ buffer \ pH \ 6, \ AP-staining.$